

ANALYTICA CHIMICA ACTA, VOL. 209(1988)

AUTHOR INDEX

- Adžić, P. R., see Stojić, D. Lj. 185
- Alexandratos, S. D., see Schweitzer, G. K. 363
- Almestrand, L.
—, Betti, M., Hua, C., Jagner, D. and Renman, L.
Determination of lead in whole blood with a simple flow-injection system and computerized stripping potentiometry 339
- Al-Tamrah, S. A.
Spectrophotometric determination of L-ascorbic acid in pharmaceutical preparations 309
- Al-Zamil, I. Z.
— and Townshend, A.
Molecular emission cavity analysis. Part 29. Determination of tin after conversion to its volatile hydride 275
- Appriou, P., see Percelay, L. 249
- Bangov, I. P.
Use of the ^{13}C -NMR chemical shift/charge density linear relationship for recognition and ranking of chemical structures 29
- Becerro Dominguez, F., see Hernandez Mendez, J. 205
- Berthod, A., see Brooks, S. H. 111
- Betti, M., see Almestrand, L. 339
- Brooks, S. H.
—, Berthod, A., Kirsch, B. A. and Dorsey, J. G.
Flow-injection system for determination of critical micelle concentrations of ionic and nonionic surfactants 111
- Buck, R. P., see Ihn, G.-S. 345
- Canham, J. S.
—, Gordon, G. and Pacey, G. E.
Optimization of parameters for gas-diffusion flow-injection systems 157
- Carabias Martinez, R., see Hernandez Mendez, J. 205
- Carpenter, R., see Ebdon, L. 135
- Černá, J., see Vytřas, K. 357
- Coenegracht, P. M. J., see van der Voet, H. 1
- Cullen, P., see Maher, W. 299
- Dan, S.-L., see Yao, S.-Z. 213
- Delft, van, W., see van Delft, W. 147
- Demertzis, M. A.
Fluorimetric determination of calcium in serum with calcein. Complexation of calcein with calcium and alkali metals 303
- Dorsey, J. G., see Brooks, S. H. 111
- Ebdon, L.
— and Carpenter, R.
Multi-element simplex optimization for inductively-coupled plasma/atomic emission spectrometry with a plasma torch fitted with a wide-bore injector tube. Part 2. Establishment of optimum conditions for minimum interference 135
- Eddowes, M. J.
A capillary suction pump giving constant flow rates 57
- Ferriol, M.
— and Gazet, J.
Ultraviolet absorption spectra of chloramines and chlorine in carbon tetrachloride 321
- Florence, T. M., see Morrison, G. M. P. 97
- Fudagawa, N., see Hioki, A. 281
- Furlonger, J., see Maher, W. 299
- Gazet, J., see Ferriol, M. 321
- Gordon, G., see Canham, J. S. 157
- Guglielmetti, R., see Percelay, L. 249
- Haapakka, K.
—, Kankare, J. and Kulmala, S.
Cathodic europium (III) electroluminescence at an oxide-coated aluminum electrode 165
- Handel, H., see Percelay, L. 249
- Harada, A.
—, Tarutani, T. and Yoshimura, K.
Spectrophotometric determination of ger-

- manium in rocks after selective adsorption on Sephadex gel 333
- Hayashi, Y.
—, Matsuda, R., Yoshioka, S. and Takeda, Y.
One-dimensional Kalman filter in a robot system for total analysis of solid dosage formulations 45
- Hemel, J. B., see van der Voet, H. 1
- Hernandez Mendez, J.
—, Carabias Martinez, R., Becerro Dominguez, F. and Jimenez Jimenez, J. I.
Determination of the pesticides Fenthion and Fenitrothion by flow injection with amperometric detection 205
- Hioki, A.
—, Fudagawa, N., Kubota, M. and Kawase, A.
Electrothermal atomic absorption spectrometric determination of copper and zinc in high-purity bismuth after thiocyanate extraction 281
- Hua, C., see Almestrand, L. 339
- Ihn, G.-S.
—, Sohn, M.-J. and Buck, R.P.
Solid-state ion-selective electrodes for the potentiometric determination of hexacyanoferrate(II) 345
- Imasaka, T., see Okazaki, T. 327
- Ishibashi, N., see Okazaki, T. 327
- Jagner, D., see Almestrand, L. 339
- Jansen, A.P., see Steigstra, H. 265
- Jimenez Jimenez, J.I., see Hernandez Mendez, J. 205
- Kalous, J., see Vytras, K. 357
- Kankare, J., see Haapakka, K. 165
- Kateman, G., see Steigstra, H. 265
- Kawase, A., see Hioki, A. 281
- Kirsch, B.A., see Brooks, S.H. 111
- Kubota, M., see Hioki, A. 281
- Kukoč, A.H., see Stojić, D.Lj. 185
- Kulmala, S., see Haapakka, K. 165
- Lambert, D., see Maher, W. 299
- La Noce, T., see Pettine, M. 315
- Liberatori, A., see Pettine, M. 315
- Lintern, M.
—, Mann, A. and Longman, D.
The determination of gold by anodic stripping voltammetry 193
- Longman, D., see Lintern, M. 193
- Loreti, L., see Pettine, M. 315
- Ludvík, J.
—, and Volke, J.
Evidence for a radical intermediate in the anodic oxidation of reduced nicotinamide adenine dinucleotides obtained by electro-generated chemiluminescence 69
- Maher, W.
—, Lambert, D., Furlonger, J. and Cullen, P.
Determination of phosphorus in biological tissues by aluminium block digestion and flow-injection spectrophotometry 299
- Mann, A., see Lintern, M. 193
- Martinez Lozano, C.
—, Pérez-Ruiz, T., Tomás, V. and Yagüe, E.
Determination of paraquat in biological and environmental samples by a photokinetic method 79
- Mascini, M., see Palleschi, G. 223
- Matsuda, R., see Hayashi, Y. 45
- Mocák, J., see Németh, M. 87
- Morelli, B.
Determination of mixtures of ampicillin and cloxacillin in pharmaceuticals by second-derivative spectrophotometry 175
- Morrison, G.M.P.
—, and Florence, T.M.
Comparison of physicochemical speciation procedures with metal toxicity to *Chlorella pyrenoidosa* 97
- Musil, S., see Németh, M. 87
- Nakamura, T.
—, Okubo, K. and Sato, J.
Atomic absorption spectrometric determination of copper in calcium carbonate scale and carbonate rocks by direct atomization of solid samples 287
- Németh, M.
—, Mocák, J. and Musil, S.
Spectrocoulometric study of the hydrolysis of the tris (1,10-phenanthroline) iron (III) complex ion 87
- Nie, L.-H., see Yao, S.-Z. 213

- Okazaki, T.
—, Imasaka, T. and Ishibashi, N.
Optical-fiber sensor based on the second-harmonic emission of a near-infrared semiconductor laser as light source 327
- Okubo, K., see Nakamura, T. 287
- Olsson, B.
A flow-injection system based on immobilized penicillinase and a linear pH-buffer for potentiometric determination of penicillin 123
- Pacey, G.E., see Canham, J.S. 157
- Palleschi, G.
—, Rathore, H.S. and Mascini, M.
Amperometric probe for 3-hydroxybutyrate with immobilized 3-hydroxybutyrate dehydrogenase 223
- Pavlović, M.S., see Stojić, D.Lj. 185
- Percelay, L.
—, Appriou, P., Handel, H. and Gugliemetti, R.
Determination of trace amounts of copper and zinc in sea water with polymer-supported 1,4,8,11-tetraazacyclotetradecane 249
- Pérez-Ruiz, T., see Martinez Lozano, C. 79
- Petersson, B.A.
Amperometric assay of glucose and lactic acid by flow injection analysis 231
- Petersson, B.A.
Enzymatic determination of urea in undiluted whole blood by flow injection analysis using an ammonium ion-selective electrode 239
- Pettine, M.
—, La Noce, T., Liberatori, A. and Loreti, L.
Hydrogen peroxide interference in the determination of chromium(VI) by the diphenylcarbazide method 315
- Radzi, A.M.B.M., see Schweitzer, G.K. 363
- Rathore, H.S., see Palleschi G. 223
- Renman, L., see Almestrand, L. 339
- Sanke Gowda, H., see Thimme Gowda, A. 293
- Sato, J., see Nakamura, T. 287
- Sato, Y., see Uchiyama, S. 351
- Schweitzer, G.K.
—, Radzi, A.M.B.M. and Alexandratos, S.D.
A cation affinity series for a phosphinic acid ion-exchange resin 363
- Šílená, I., see Vytřas, K. 357
- Šimíčková, B., see Vytřas, K. 357
- Sohn, M.-J., see Ihn, G.-S. 345
- Steigstra, H.
—, Jansen, A.P. and Kateman, G.
Evaluation of classification results with the disjoint classification program SOLOMON 265
- Stojić, D.Lj.
—, Pavlović, M.S., Vasić, V.M., Kukoč, A.H. and Adžić, P.R.
Evaluation of x-ray fluorescence spectrometry for the determination of platinum in catalysts and comparison with other spectrometric techniques 185
- Storek, W.
One-bit quantization of computer-stored spectra 271
- Suzuki, S., see Uchiyama, S. 351
- Takeda, Y., see Hayashi, Y. 45
- Tarutani, T., see Harada, A. 333
- Thimme Gowda, A.
— and Sanke Gowda, H.
Spectrophotometric determination of vanadium(V) with methoxypromazine maleate and its application to vanadium steels and minerals 293
- Tofuku, Y., see Uchiyama, S. 351
- Tomás, V., see Martinez Lozano, C. 79
- Townshend, A., see Al-Zamil, I.Z. 275
- Uchiyama, S.
—, Sato, Y., Tofuku, Y. and Suzuki, S.
Di-isopropyl fluorophosphate electrode based on squid nerve tissue 351
- Van Delft, W.
— and Vos, G.
Comparison of digestion procedures for the determination of mercury in soils by cold-vapour atomic absorption spectrometry 147
- Van der Voet, H.
—, Coenegracht, P.M.J. and Hemel, J.B.
The evaluation of probabilistic classification methods. Part 2. Comparison of

- SIMCA, ALLOC, CLASSY and LDA 1
 Vasić, V.M., see Stojić, D.Lj. 185
 Voet, van der, H., see Van der Voet, H. 1
 Volke, J., see Ludvík, J. 69
 Vos, G., see van Delft, W. 147
 Vytrás, K.
 —, Kalous, J., Šimíčková, B., Černá, J. and
 Šílená, I.
 Potentiometric titration of palladium(II)
 halide complex anions based on ion-pair
 formation 357

Wasa, T., see Yao, T. 259

Yagüe, E., see Martinez Lozano, C. 79

Yao, S.-Z.

—, Dan, S.-L. and Nie, L.-H.

Selective determination of silver in solu-
 tion by adsorption on a piezoelectric quartz
 crystal 213

Yao, T.

—, and Wasa T.

High-performance liquid chromato-
 graphic detection of L- and D-amino acids
 by use of immobilized enzyme electrodes
 as detectors 259

Yoshimura, K., see Harada, A. 333

Yoshioka, S., see Hayashi, Y. 45